

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9700	"407"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 13:02
L2	29190	"408"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 13:02
L3	23433	"409"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 13:02
L4	40320	"81"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 13:02
L5	41679	"228"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 13:02
L6	189977	"29"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 13:02
L7	242081	"428"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 13:03
L8	549598	1 or 2 or 3 or 4 or 5 or 6 or 7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 13:03
L9	17	8 and ((sinter\$3 near5 ("Fe" or iron) near5 (particle or powder)) with (cut\$4 or blade or tool or knife or (solder\$3 near5 (tip or cap or electrode or head)) or drill))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 13:05
L10	9	("2238351" "3372010" "3841852" "3999962" "4505746" "5755299").PN. OR ("6338907").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 13:10

L11	7	8 and ((sinter\$3 near5 (particle or powder) near5 (plat\$3 or electroplat\$3 or electrodeposit\$3 or deposit\$3)) with (cut\$4 or blade or tool or knife or (solder\$3 near5 (tip or cap or electrode or head)) or drill))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 13:26
L12	163	8 and ((sinter\$3 near5 (plat\$3 or electroplat\$3 or electrodeposit\$3 or deposit\$3)) with (cut\$4 or blade or tool or knife or (solder\$3 near5 (tip or cap or electrode or head)) or drill))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 13:28
L13	64	12 and ((oxidation or oxidiz\$3 or corrosion or corrod\$3 or wear\$3) same (resistance or resist\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/03 13:29
L14	2155	(sinter\$3 near5 (injection adj molding))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/03 14:06
L15	119	(sinter\$3 adj (injection adj molding))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/03 14:06
L16	238	(sinter\$3 adj (("Fe" or iron) near5 ("cu" or copper)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/03 14:49
L17	65	(sinter\$3 adj (("Fe" or iron) adj ("cu" or copper)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/03 14:49

L19	83	16 and ((oxidation or corrosion or corroded\$3 or wear\$3 or oxidized\$3) same (resistance or resist\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/03 14:57
S124	94	((solder\$3 or heat\$3 or desolder\$3) near5 (electrode or tip or cap) near5 (("Fe" or iron) near5 (based or coated\$3 or sinter\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 14:18
S125	8	("4745264" "4795886" "4839501" "4877944" "4924067" "5182427").PN. OR ("5408072").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/01 14:21
S126	27	((((iron or "fe") adjacent sinter) with (corrosion or wear\$3 or oxidation or oxidized\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:14
S127	4	((((iron or "fe") near5 sinter) same (solder\$3 near5 (tip or cap)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:22
S128	30	((((iron or "fe") with sinter\$3) same (solder\$3 near5 (tip or cap)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:26
S129	171	((((iron or "fe") with (particles or coated\$3 or sinter\$3)) same (solder\$3 near5 (tip or cap)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:26
S130	45	((((iron or "fe") with (particles or sinter\$3)) same (solder\$3 near5 (tip or cap)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:35

S131	4489	((wear\$3 or corrosion or oxidation or oxidiz\$3) adj (resistance or resist\$3 or prevent\$3)) near5 ((sinter or sinter\$3 or electroplating or plating or plat\$3 or electroplat\$3 or electrodeposit\$3) near5 coat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 16:04
S132	1583	S131 and (iron or "Fe")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 16:05
S133	314	S131 and ((iron or "Fe") near5 (copper or "cu"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 16:06
S134	116	S133 and (tip or cap or electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 16:07

3/3/2008 7:00:12 PM

C:\Documents and Settings\maboagye\My Documents\EAST\Workspaces\10785152 soldering iron tip and method of manufacturing the same 228-51 FOAM 11-29-2006.pts.wsp